

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("4587840").PN.	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	OFF	2008/03/04 10:50
L4	36	engine and (exhaust with (light near sensor))	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2008/03/04 11:52
L5	202	engine and (pressure with (light near sensor))	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2008/03/04 11:53
L6	4575	(73/866, 5,431,702,703,24,01,29,01,335,03,705).CQLS	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	OFF	2008/03/04 12:04
L7	5	6 and (polymer near (conductor electrode))	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2008/03/04 12:05
S2	183	(rogers-d\$).xa.	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2007/02/10 13:27
S3	12	("3821900" "4453835" "4708666" "4765193" "4788431" "5489888" "5500504" "5511415" "5792951" "5929333" "5969270" "6250130").PN. OR ("7062975").URPN.	US-PG&UB; USPAT; USOOR	OR	ON	2007/02/10 13:34
S4	946	(optical near sensor).ti.	US-PG&UB; USPAT; USOOR	OR	ON	2007/02/10 13:34
S5	4032	((humidity dew moisture) adj sensor).ti.	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2007/02/10 14:57
S6	116	S5 and probe	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2007/02/10 15:19
S7	2	("20060162474").PN.	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	OFF	2007/02/10 16:31
S8	11804	molecule with between with electrodes	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2007/02/10 15:24
S9	296	S8 and (sensor).ti.	US-PG&UB; USPAT; USOOR, F&IS; EPO, JPO; DERWENT	OR	ON	2007/02/10 15:58

S10	37	(polymer near film) with (pressure near sensor)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:05
S11	5	(polymer near diaphragm) with (pressure near sensor)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:06
S12	4	(polymer near diaphragm) and (pressure near sensor).ti.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:06
S13	11	(polymer near membrane) and (pressure near sensor).ti.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:30
S14	21	(polyacetylene polyphenylene vinylene polypyrrole) with pressure with sensor	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:42
S15	30041	(light adj sensor)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:42
S16	2379	(light adj sensor).ti.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:42
S17	15	(light adj sensor).ti. and (light with sensitive with film)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 18:02
S18	32	(photodiode with (light adj sensor)).ti.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:01
S19	183	(rogers-c\$).xa.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:02
S20	19	(rogers-c\$).xa. and humidity	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:05
S21	193	(acoustic adj wave) with (temperature near sensor)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:14
S22	51	(acoustic adj wave) with (humidity near sensor)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:14
S23	4391	(73/866.5,431,702,703,24.01,29.01,335.03,705).CCL.S.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	OFF	2007/02/10 18:02

S24	2	("6476312").PN.	US-PGPRB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/02/10 18:01
S25	916	S23 and ((pressure humidity dew temperature light radiation) near sensor)	US-PGPRB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 18:02
S26	20	S25 and ((semiconductive conductive) near (film layer diaphragm membrane))	US-PGPRB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 18:03
S27	5041	(polymer near electrode)	US-PGPRB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:52
S28	135	(polymer near electrode) with insulat\$4	US-PGPRB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:53

3/ 4/ 08 12:06:24 PM

C:\Documents and Settings\drogers\My Documents\EAST\Workspaces\10\5\10538937.wsp